

Z legálních důvodů, na základě smlouvy, vám nemůžeme sdělit údaje výrobce.
V brzké době zveřejníme přímo české laboratorní testy

CERTIFICATE OF ANALYSIS

PRODUCT : BRAND E-LIQUID MITRAGYNA SPECIOSA EXTRACTS
BATCH NO. : FS2309007-MT
MFG / EXP : 07-09-2023 / 07-09-2025
QUANTITY : 356 BOTTLES
INGREDIENTS : PROPYLENE GLYCOL, VEGETABLE GLYCERIN, KRATOM EXTRACT, FLAVOR ESSENCE, VIT C

ANALYSIS SPECIFICATION	RESULT	METHOD
Organoleptik of Finished Goods		
Taste &Odor No Rancid, No off-flavor	Pass	Organoleptik
Chemical of Finished Goods		
Cd (Cadmium)	<0.02 mg/kg	Pass
Hg (Mercury)	<0.001 mg/kg	Pass
Pb (Lead)	<0.03 mg/kg	Pass
Mitragynine	±5%	Pass
Physical of Finished Goods		
Color	Green	Pass
Water Activity	0.66	Pass
Foreign Materials	Not Detected	Pass
Microbiology of Finished Goods (Incubation period of 24 hours at 30oC)		
Yeast and Mould Not Detected	Pass	Compact Dry Test
Salmonella sp. Not Detected	Pass	Compact Dry Test
E.coli Not Detected	Pass	Compact Dry Test
Staphylococcus aureus Not Detected	Pass	Compact Dry Test

WE CERTIFY THATTHE ABOVE PRODUCT IS IN COMPLIANCE WITH GOOD MANUFACTURING PRACTICES (GMP).

AUTHORIZED SIGNATURE:

Ms.Trivania Sitanggang
QC SUPERVISOR

